

## EAST Search History

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| L1    | 5    | (sub\$1net\$1 sub \$1network\$1) same ((base adj station\$1) BTS "node B" base \$1station\$1) same router\$1 same ((broadcast adj address \$2) (broadcast adj2 address\$2)) and ("455"/\$.ccls. and "370"/\$.ccls. or "379"/ \$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR                                   | OR               | ON      | 2009/06/19 10:18 |
| L2    | 4    | ("6628943").PN. OR ("7039028").URPN.   | US-PGPUB; USPAT; USOCR                                   | OR               | ON      | 2009/06/19 10:20 |
| L3    | 13   | (sub\$1net\$1 sub \$1network\$1) same ((base adj station\$1) BTS "node B" base \$1station\$1) same router\$1 same ((broadcast adj address \$2) (broadcast adj2 address\$2))  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2009/06/19 10:20 |
| L4    | 8    | 3 not 1  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2009/06/19 10:21 |
| L5    | 0    | (sub\$1net\$1 sub \$1network\$1) same ((base adj station\$1) BTS "node B" base \$1station\$1) same ((broadcast adj address \$2) (broadcast adj2 address\$2)) same ((location position) near registration)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2009/06/19 10:22 |
| L6    | 12   | (sub\$1net\$1 sub \$1network\$1) same ((base adj station\$1) BTS "node B" base \$1station\$1) same ((location position) near registration)   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2009/06/19 10:23 |

|     |     |  |   |    |    |                     |
|-----|-----|--|---|----|----|---------------------|
| L7  | 11  | 6 not (3 2 1)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:23 |
| L8  | 0   | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((broadcast adj address<br>\$2) (broadcast adj2<br>address\$2)) same<br>((location position)<br>near registration)                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:26 |
| L9  | 65  | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((location position)<br>near registration)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:26 |
| L10 | 0   | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((broadcast near2<br>address\$2) (broadcast<br>adj2 address\$2)) same<br>((location position)<br>near2 (updat\$3<br>registration)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:32 |
| L11 | 237 | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((location position)<br>near2 (updat\$3<br>registration))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:34 |
| L12 | 23  | 11 and ((broadcast<br>near2 address\$2)<br>(broadcast adj2<br>address\$2))   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:34 |
| L13 | 3   | 12 not (9 8 7 6 3 2 1)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>10:35 |
| L14 | 435 | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((broadcast adj address<br>\$2) (broadcast adj2<br>address\$2))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:33 |

|     |      |   |   |    |    |                     |
|-----|------|---|---|----|----|---------------------|
| L15 | 350  | 14 and ("370"/\$.ccls.<br>or "709"/\$.ccls.)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:33 |
| L16 | 14   | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((broadcast adj address<br>\$2) (broadcast adj2<br>address\$2)) same<br>(register\$3<br>registration)                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:34 |
| L17 | 1    | ((SIP "session initiation<br>protocol") near2<br>server) same (MSIN<br>"phone number"<br>"telephone number")<br>same ((broadcast adj<br>address\$2) (broadcast<br>adj2 address\$2)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:45 |
| L18 | 5    | ((SIP "session initiation<br>protocol") near2<br>server) same<br>((broadcast adj address<br>\$2) (broadcast adj2<br>address\$2))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:45 |
| L19 | 20   | ("20020126642"  <br>"20030012179"  <br>"20030091165"  <br>"20050013280"  <br>"6542935"  <br>"6647259"  <br>"6222829"  <br>"6490259"  <br>"6731621"  <br>"7257104").PN.              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:48 |
| L20 | 1164 | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((base adj station\$1)<br>BTS "node B" base<br>\$1station\$1)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:51 |
| L21 | 12   | (sub\$1net\$1 sub<br>\$1network\$1) same<br>((base adj station\$1)<br>BTS "node B" base<br>\$1station\$1) same<br>((location position)<br>near registration)                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>11:51 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| L22 | 82  | (sub\$1net\$1 sub \$1network\$1) with ((multiple plurality) near3 ((base adj station\$1) BTS "node B" base\$1station\$1))   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 11:54 |
| L23 | 80  | 22 not 21   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 11:54 |
| L24 | 5   | (sub\$1net\$1 sub \$1network\$1) with ((multiple plurality) near3 ((base adj station\$1) BTS "node B" base\$1station\$1)) same regist\$6  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 11:56 |
| L25 | 161 | (sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (broadcast adj2 address\$2)) same (call message\$1 packet\$1)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:02 |
| L26 | 159 | 25 not 22   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:02 |
| L27 | 0   | (sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (broadcast adj2 address\$2)) with ((outgoing incoming originated) near2 call) and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:13 |
| L28 | 0   | (sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (broadcast adj2 address\$2)) same ((outgoing incoming originated) near2 call) and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:13 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| L29 | 1   | (sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (broadcast adj2 address\$2)) with call and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.)                                    | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:14 |
| L30 | 256 | (sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (broadcast adj2 address\$2)) and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.)  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:15 |
| L31 | 118 | 30 not 25   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:15 |
| L32 | 115 | (table stor\$3 database \$1 memory cach\$3) with ("phone number" number "telephone number" MSIN MS \$1ISDN) same (broadcast near address\$1) and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:24 |
| L33 | 105 | 32 not 31   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:24 |
| L34 | 9   | 33 and subnet   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/06/19 13:24 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| L35 | 0    | ((sub\$1net\$1 sub \$1network\$1) with ((broadcast adj address \$2) (sub\$1net\$8 adj address\$1) (broadcast adj2 address\$2)) same ((outgoing incoming originated) near2 call) and ("455"/\$.ccls. or "370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:37 |
| L36 | 14   | ((sub\$1net\$1 sub \$1network\$1) near2 address\$1) with broadcast\$1 same call  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:38 |
| L37 | 303  | ((sub\$1net\$1 sub \$1network\$1) near2 address\$1) with broadcast\$1  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:39 |
| L38 | 124  | 37 not (30 25 32 31 33)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:40 |
| L39 | 1466 | ((sub\$1net\$1 sub \$1network\$1) adj address\$1)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:42 |
| L40 | 264  | ((sub\$1net\$1 sub \$1network\$1) adj address\$1) same (send \$3 forward\$3 transmit \$4) near3 (packet\$1 message\$1)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:43 |
| L41 | 240  | 40 not (30 25 32 31 33 38)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:44 |

|     |      |  |   |    |    |                     |
|-----|------|--|---|----|----|---------------------|
| L42 | 92   | ((sub\$1net\$1 sub \$1network\$1) adj address\$1) with (send \$3 forward\$3 transmit \$4) near3 (packet\$1 message\$1) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:44 |
| L43 | 80   | 42 not (30 25 32 31 33 38)   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:44 |
| L44 | 1466 | ((sub\$1net\$1 sub \$1network\$1) adj address\$1) with sub \$1net\$8   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:53 |
| L45 | 73   | ((sub\$1net\$1 sub \$1network\$1) adj address\$1) with sub \$1net\$8 with broadcast \$3                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:57 |
| L46 | 7    | 45 not (30 25 32 31 33 38 43)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/06/19<br>13:58 |

6/19/2009 3:14:48 PM

C:\ Documents and Settings\ oajibadeakonai\ My Documents\ EAST\ Workspaces\ 10597516.wsp